



Pneumonia

Percent of Pneumonia Patients Assessed and Given Pneumococcal Vaccination



Percent of Pneumonia Patients Whose Initial Emergency Room Blood Culture Was Performed Prior to the Administration of the First Hospital Dose of Antibiotics




The percentage includes only patients whose history and condition indicate the treatment is appropriate. Talk to your doctor if you have questions about your treatment.


Saint Mary's Health Care data time period is January 2011 to July 2011.

State and National Averages and Top 10% of Hospitals Nationwide were obtained from the Hospital Compare website on October 25, 2011. The latest reporting period is from January 2010 through December 2010 for all indicators.

Percent of Pneumonia Patients Given Smoking Cessation Advice or Counseling



Percent of Pneumonia Patients Given Initial Antibiotic(s) Within Six Hours After Arrival




The percentage includes only patients whose history and condition indicate the treatment is appropriate. Talk to your doctor if you have questions about your treatment.


Saint Mary's Health Care data time period is January 2011 to July 2011.

State and National Averages and Top 10% of Hospitals Nationwide were obtained from the Hospital Compare website on October 25, 2011. The latest reporting period is from January 2010 through December 2010 for all indicators.

Percent of Pneumonia Patients Given the Most Appropriate Initial Antibiotic(s)



Percent of Pneumonia Patients Assessed and Given Influenza Vaccination



The percentage includes only patients whose history and condition indicate the treatment is appropriate. Talk to your doctor if you have questions about your treatment.

Saint Mary's Health Care data time period is January 2011 to July 2011.

State and National Averages and Top 10% of Hospitals Nationwide were obtained from the Hospital Compare website on October 25, 2011. The latest reporting period is from January 2010 through December 2010 for all indicators.

Quality Report Cards

Key Indicators	Saint Mary's Health Care	State Average	National Average	Top 10% of Hospitals Nationwide
Percent of Pneumonia Patients Assessed and Given Pneumococcal Vaccination	93%	93%	94%	100%
Percent of Pneumonia Patients Whose Initial Emergency Room Blood Culture Was Performed Prior to the Administration of the First Hospital Dose of Antibiotics	99%	96%	96%	100%
Percent of Pneumonia Patients Given Smoking Cessation Advice or Counseling	96%	98%	98%	100%
Percent of Pneumonia Patients Given Initial Antibiotic(s) Within Six Hours After Arrival	97%	96%	96%	100%
Percent of Pneumonia Patients Given the Most Appropriate Initial Antibiotic(s)	92%	94%	93%	100%
Percent of Pneumonia Patients Assessed and Given Influenza Vaccination	92%	91%	91%	100%

The percentage includes only patients whose history and condition indicate the treatment is appropriate. Talk to your doctor if you have questions about your treatment.

Saint Mary's Health Care data time period is January 2011 to July 2011.

State and National Averages and Top 10% of Hospitals Nationwide were obtained from the Hospital Compare website on October 25, 2011. The latest reporting period is from January 2010 through December 2010 for all indicators.