



## Surgical Care Improvement & Surgical Infection Prevention

### Percent of Surgery Patients Who Received Preventative Antibiotic(s) One Hour Before Incision



### Percent of Surgery Patients Who Received the Appropriate Preventative Antibiotic(s) for Their Surgery




The percentage includes only patients whose history and condition indicate the treatment is appropriate. Talk to your doctor if you have questions about your treatment.


Saint Mary's Health Care data time period is January 2011 to July 2011.

State and National Averages and Top 10% of Hospitals Nationwide were obtained from the Hospital Compare website on October 25, 2011. The latest reporting period is from January 2010 through December 2010 for all indicators.

## Percent of Surgery Patients Whose Preventative Antibiotic(s) Are Stopped Within 24 Hours After Surgery



## Percent of All Heart Surgery Patients Whose Blood Sugar (Glucose) is Kept Under Good Control in the Days Right After Surgery




The percentage includes only patients whose history and condition indicate the treatment is appropriate. Talk to your doctor if you have questions about your treatment.


Saint Mary's Health Care data time period is January 2011 to July 2011.

State and National Averages and Top 10% of Hospitals Nationwide were obtained from the Hospital Compare website on October 25, 2011. The latest reporting period is from January 2010 through December 2010 for all indicators.

## Percent of Surgery Patients Needing Hair Removed From the Surgical Area Before Surgery, Who Had Hair Removed Using a Safer Method (Electric Clippers or Hair Removal Cream, Not a Razor)



## Percent of Surgery Patients Whose Doctors Ordered Treatments to Prevent Blood Clots (Venous Thromboembolism) for Certain Types of Surgeries




The percentage includes only patients whose history and condition indicate the treatment is appropriate. Talk to your doctor if you have questions about your treatment.


Saint Mary's Health Care data time period is January 2011 to July 2011.

State and National Averages and Top 10% of Hospitals Nationwide were obtained from the Hospital Compare website on October 25, 2011. The latest reporting period is from January 2010 through December 2010 for all indicators.

## Percent of Surgery Patients Who Received Treatment to Prevent Blood Clots Within 24 Hours Before or After Selected Surgeries



## Percent of Surgery Patients Who Were Taking Heart Drugs Called Beta Blockers Before Coming to the Hospital, Who Were Kept on the Beta Blockers During the Period Just Before and After Their Surgery




The percentage includes only patients whose history and condition indicate the treatment is appropriate. Talk to your doctor if you have questions about your treatment.


Saint Mary's Health Care data time period is January 2011 to July 2011.

State and National Averages and Top 10% of Hospitals Nationwide were obtained from the Hospital Compare website on October 25, 2011. The latest reporting period is from January 2010 through December 2010 for all indicators.

## Surgery Patients Whose Urinary Catheters Were Removed on the First or Second Day After Surgery



## Outpatients Having Surgery Who Got an Antibiotic at the Right Time - Within One Hour Before Surgery




The percentage includes only patients whose history and condition indicate the treatment is appropriate. Talk to your doctor if you have questions about your treatment.

Saint Mary's Health Care data time period is January 2011 to July 2011.

State and National Averages and Top 10% of Hospitals Nationwide were obtained from the Hospital Compare website on October 25, 2011. The latest reporting period is from January 2010 through December 2010 for all indicators.

## Outpatients Having Surgery Who Got the Right Kind of Antibiotic



The percentage includes only patients whose history and condition indicate the treatment is appropriate. Talk to your doctor if you have questions about your treatment.

Saint Mary's Health Care data time period is January 2011 to July 2011.

State and National Averages and Top 10% of Hospitals Nationwide were obtained from the Hospital Compare website on October 25, 2011. The latest reporting period is from January 2010 through December 2010 for all indicators.

# Quality Report Cards

<b>Key Indicators</b>	<b>Saint Mary's Health Care</b>	<b>State Average</b>	<b>National Average</b>	<b>Top 10% of Hospitals Nationwide</b>
<b>Percent of Surgery Patients Who Received Preventative Antibiotic(s) One Hour Before Incision</b>	93%	97%	97%	100%
<b>Percent of Surgery Patients Who Received the Appropriate Preventative Antibiotic(s) for Their Surgery</b>	98%	98%	98%	100%
<b>Percent of Surgery Patients Whose Preventative Antibiotic(s) Are Stopped Within 24 Hours After Surgery</b>	97%	96%	96%	100%
<b>Percent of All Heart Surgery Patients Whose Blood Sugar (Glucose) is Kept Under Good Control in the Days Right After Surgery</b>	N/A	94%	94%	99%
<b>Percent of Surgery Patients Needing Hair Removed From the Surgical Area Before Surgery, Who Had Hair Removed Using a Safer Method (Electric Clippers or Hair Removal Cream, Not a Razor)</b>	99%	99%	100%	100%
<b>Percent of Surgery Patients Whose Doctors Ordered Treatments to Prevent Blood Clots (Venous Thromboembolism) for Certain Types of Surgeries</b>	100%	96%	95%	100%
<b>Percent of Surgery Patients Who Received Treatment to Prevent Blood Clots Within 24 Hours Before or After Selected Surgeries</b>	99%	95%	93%	100%
<b>Percent of Surgery Patients Who Were Taking Heart Drugs Called Beta Blockers Before Coming to the Hospital, Who Were Kept on the Beta Blockers During the Period Just Before and After Their Surgery</b>	92%	94%	94%	100%
<b>Surgery Patients Whose Urinary Catheters Were Removed on the First or Second Day After Surgery</b>	95%	91%	91%	100%
<b>Outpatients Having Surgery Who Got an Antibiotic at the Right Time - Within One Hour Before Surgery</b>	89%	90%	94%	100%
<b>Outpatients Having Surgery Who Got the Right Kind of Antibiotic</b>	91%	93%	95%	100%

The percentage includes only patients whose history and condition indicate the treatment is appropriate. Talk to your doctor if you have questions about your treatment.

Saint Mary's Health Care data time period is January 2011 to July 2011.

State and National Averages and Top 10% of Hospitals Nationwide were obtained from the Hospital Compare website on October 25, 2011. The latest reporting period is from January 2010 through December 2010 for all indicators.